


Vue éclatée de l'ALIZE 14 / Exploded view ALIZE 14



Repère	340A81	340A01	Désignation	Qté
1		620A42	Vis h.M6-16 inox Screw M6-16	4
2		640A03	Rdle contact M6 x 18. ac. bi. Washer M6X18	4
3		264A05	Pressostat HP cond. poclain serie 2.1 Pressure switch	1
4		225A13	Deshy alfa 164 Receiver dryer filter	1
5		660A19	Ecrou de passe cloison M8 Washer M8	2
6		280A32	Joint oring M6 Gasket M6	2
7		650A17	Rdle plate M20 inox Washer M20	2
8		650A14	Rdle plate M6 x 18 x 1.5 inox Washer M6	7
9		670A04	Ecrou frein h.M6 inox Nut M6	15
10		620A41	Vis cbl z. M4-10 inox Screw CBL M4-10	4
11		270A54	Cale male 4 voies connecteur deutsch 4 ways Deutsch connector block	1
12		660A20	Ecrou de passe cloison M6 (h27) Nut M6	1
13		270A50	Connecteur deutsch receptacle 4 voies Deutsch connector 4 ways	1
14		650A16	Rdle plate M16 inox Washer M16	2
15		620A09	Vis CHC.M6-20 inox Screw CHC M6-20	1
16		274A10	Faisceau condenseur Eletrical harness	1

Repère	340A81	340A01	Désignation	Qté
17		273A06	Passe fil 13x21x26 Grommet 13x21x26	1
18		520A04	Support serpentin sup. cond. Poclairn Condenser support	1
19		520A06	Ligne rigide deshy. cond Rigid line receiver dryer filter condenser	1
20		620A02	Vis CBL z.M6-16 inox Screw CBL M6-16	14
21		520A13	Couvercle cond. Cover condenser	1
22	260A37	260A52	Ventilateur diametre 225 soufflant Fan Ø225mm	2
23		650A15	Rdle plate M6 inox Washer M6	8
24		292A01	Serpentin condenseur Condenser	1
25		520A05	Support serpentin inf. cond. Support condenser	1
26		520A07	Caisse principale cond. Casing	1